CITY OF WEST KELOWNA

BYLAW NO. 0265.12

A BYLAW TO AMEND "ZONING BYLAW NO. 0265"

WHEREAS the Council of the City of West Kelowna desires to amend "CITY OF WEST KELOWNA ZONING BYLAW NO. 0265" under the provisions of the *Local Government Act*.

THEREFORE BE IT RESOLVED that the Council of the City of West Kelowna, in open meeting assembled, hereby enacts as follows:

1. <u>Title</u>

This Bylaw may be cited as "CITY OF WEST KELOWNA ZONING AMENDMENT BYLAW NO. 0265.12, 2023".

2. <u>Amendments</u>

"Zoning Bylaw No. 0265" is hereby amended as follows:


- 2.1 By adding the attached zoning regulations for the CD 10 Comprehensive Development Zone (Auburn Road) to Part 14 Comprehensive Development Zones.
- 2.2 By adding the zone "Comprehensive Development Zone (Auburn Road)" and zone abbreviation "CD10" to Part 5 Establishment of Zones, Table 5.1.
- 2.3 By adding "CD10 Comprehensive Development Zone (Auburn Road)" to the Table of Contents.
- 2.4 By changing the zoning of Lot 2 District Lot 2601 Osoyoos Division Yale District Plan KAP77227, as shown on Schedule 'A' attached to and forming part of the bylaw from Low Density Multiple Family (R3) to Comprehensive Development (CD 10) and Parks and Open Space (P1).
- 2.5 By depicting the change on "Zoning Bylaw No. 0265 Schedule B" (Zoning Bylaw map).

READ FOR A FIRST TIME THIS 14TH DAY OF FEBRUARY, 2023

MAYOR
 CORPORATE OFFICER



SCHEDULE 'A' of BYLAW NO. 0265.12



CD10 – Comprehensive Development Zone (Auburn Road)

.1 Purpose

To accommodate multiple residential units the Shannon Lake neighbourhood.

.2 Principal Uses, Buildings and Structures

(a) Apartment

.3 Secondary Uses, Buildings and Structures

- (a) Accessory uses, buildings, and structures
- (b) Home based business, minor

.4 Regulations Table

	SUBDIVISION REGULATIONS				
(a)	Minimum parcel area	48,349 m ²			
(b)	Minimum parcel frontage	291 m			
	DEVELOPMENT REGULATIONS				
(c)		316,930 ft ² (29,443 m ²) FAR 0.236			
(d)	Maximum coverage	98,855 ft ² (9,184 m ²) 7.36%			
(e)	Maximum gross floor area and maximun				
	Building 1	5,537 m ² (59,597 ft ²) up to 74 Units			
	Building 2	5,906 m ² (63,572 ft ²) up to 78 Units			
.1	Building 3	6,000 m ² (64,587 ft ²) up to 83 Units			
	Building 4	6,000 m ² (64,587 ft ²) up to 83 Units			
	Building 5	6,000 m ² (64,587 ft ²) up to 83 Units			
		2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2			
	Total Gross Floor Area and Unit Count	29,443 m ² (316,930 ft ²) up to 401 Units			
(f)	Maximum building height				
	 Building 1. (all floor levels to be 	• 4 storeys (12 m): 2 storeys (6 m) exposed			
	considered as nominal 3.15m). (See	at the west façade; 4 storeys (12 m)			
	Schedule B for schematic building	exposed at the east street front.			
	sections)				
	Building 2	• 4 storeys (12 m): 2 storeys (6 m) exposed			
		at the west façade; 4 storeys (12 m)			
		exposed at the east street front.			
	Building 3	• 4 storeys (12 m): 3 storeys (9 m) exposed			
		on-grade at the west facing internal street,			
		4 storeys (12 m) exposed at the east			
	Building 4	façade.			
		• 4-Storeys (12 m): 3 storeys (9 m) exposed			
		on-grade at the north-west facing internal			
	Building 5	street, 4 storeys (12 m) exposed at the			
		south-east façade.			
		• 4-Storeys (12 m): 3 storeys (9 m) exposed			
		on-grade at the north-west facing internal			
		street, 4 storeys (12 m) exposed at the			
		south-east façade.			
		3			

	SITING REGULATIONS				
(h)	Buildings and structures shall be sited at least the distance from the feature indicated in the middle column below, that is indicated in the right-hand column opposite that feature:				
.1	Minimum front parcel boundary	4.50m (14'-6" ft)			
.2	Rear parcel boundary	32.45m (106'-6")			
.3	Interior side parcel boundary	44.50m (146'-0")			
.4	Exterior side parcel boundary	4.50m (14'-6" ft)			

.5 Other Regulations:

AMENITIES				
(j)	j) The required areas of amenities are as follows:			
	(See Schedule A)			
.1	Outdoor Amenity-1	3,925 ft ² (365 m ²)		
.2	Outdoor Amenity-2	7,850 ft ² (729 m ²)		
.3	Indoor Amenity	4,850 ft ² (451 m ²)		



Schedule B

