

CITY OF WEST KELOWNA

BYLAW NO. 0093.49

A BYLAW TO AMEND THE BYLAW NOTICE ENFORCEMENT BYLAW

WHEREAS the Council of the City of West Kelowna desires to amend the Bylaw Notice Enforcement Bylaw No. 0093;

THEREFORE BE IT RESOLVED that the Council of the City of West Kelowna in open meeting assembled, hereby enacts as follows:

1. Title

This Bylaw may be cited as the "BYLAW NOTICE ENFORCEMENT AMENDMENT BYLAW NO. 0093.49, 2021."

2. Amendments

"Bylaw Notice Enforcement Bylaw No. 0093" is hereby amended as follows:

- 2.1 By deleting Schedule 8 in its entirety and replacing with the attached and forming part of this Bylaw, Schedule 8.

READ A FIRST, SECOND AND THIRD TIME THIS DAY OF , 2021
ADOPTED

MAYOR

CORPORATE OFFICER

Schedule 8 (Bylaw 0072 - Sanitary Sewer Use)

Section	Description	BNOB
6.3	Obstruct entry of City employee	\$ 500.00
6.6	Discharge under 6.4(b) Compliance Order	\$ 100.00
8.1	Residential system not to specifications	\$ 100.00
8.7 (b)	Inspection chamber not to specifications	\$ 100.00
8.8 & 8.9	Obstructed access to system service	\$ 100.00
8.13	Fail to connect to service	\$ 100.00
8.15	Connected without authorization	\$ 100.00
8.19	Connected without permit	\$ 100.00
8.20	Backfilled work without inspection	\$ 100.00
8.23	Unit constructed prior to lateral installation	\$ 100.00
8.25	Private system does not meet demand	\$ 100.00
8.26	Non-residential system not to specifications	\$ 100.00
8.28	Structure construction prior to lateral installation	\$ 100.00
8.30	Private system does not meet demand	\$ 100.00
9.4 (a)	Improperly terminated service connection	\$ 100.00
9.4 (b)	Fail to mark terminated connection	\$ 100.00
9.5	Backfilled work without inspection	\$ 100.00
9.6	Connected to system after termination	\$ 200.00
10.1 (a)-(d)	Unauthorized work on system	\$ 100.00
10.2 (a)-(s)	Discharge of prohibited material	\$ 200.00
10.2 (c)	Discharge of recreational wastewater	\$ 150.00
10.2 (e)	Unauthorized discharge of septic material	\$ 150.00
10.2 (g)	Ground or surface water discharge	\$ 200.00
10.2 (k)	Discharge of colouring material	\$ 200.00
10.2 (q)	Discharge of restricted material	\$ 200.00
10.2 (r)	Discharge of cesspool material	\$ 200.00
11	Excess concentrations of prohibited materials	\$ 200.00
13.3	Construction commenced before approval	\$ 100.00
13.4	Fail to maintain pre-treatment records	\$ 100.00
14.3	Fail to comply with Director's requirements	\$ 150.00
15.1	Fail to provide an interception device	\$ 200.00
15.4	Fail to submit documents for approval	\$ 100.00
15.5	Construction commenced before approval	\$ 100.00
15.8	Fail to maintain interception device records	\$ 100.00
17.1	Fail to report accidental discharge	\$ 200.00